




## NT 22/1 Ap Bp Pack L

With the NT 22/1 Ap Bp L we offer the first battery-powered wet and dry vacuum cleaner for professional requirements. With a powerful Battery Power+ battery for maximum suction power and long runtimes.



### 1 Powerful 36 V Kärcher Battery Power+ battery with 7.5 Ah capacity

- Ensures a long runtime of 35 minutes at full suction power.

### 2 Effective protection cover for the battery bay

- Protects the battery from dirt and moisture. With viewing window.

### 3 Semi-automatic filter cleaning

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.

### 4 Lightweight with compact dimensions

- The machine is easy and convenient to transport and store.



## NT 22/1 Ap Bp Pack L

- Powerful Kärcher Battery Power+ 36V battery
- Efficient semi-automatic filter cleaning
- Flat pleated filter with filter casing

### Technical data

Order no.		1.528-120.0
EAN code		4054278441559
Current type	V / Hz	36 - 36 / 50 - 60
Air flow	l/s	57
Vacuum	mbar / kPa	152 / 15.2
Container capacity	l	22
Container material		Plastic
Rated input power	W	575
Standard nominal width		DN 35
Sound pressure level	dB(A)	70
Number of motors		1
Battery platform		36 V battery platform
Voltage	V	36
Capacity	Ah	7.5
Battery type		Removable lithium-ion battery
Number of batteries required	piece(s)	1
Performance per battery charge	m²/h	approx. 150 (7.5 Ah) /
Runtime per battery charging	min	max. 64 (7.5 Ah) /
Battery charging time with fast charger 80%/100%	min	58 / 81
Charging current	A	6
Power supply for battery charger	V / Hz	100 - 240 / 50 - 60
Weight	kg	8.6
Dimensions (L × W × H)	mm	401 × 372 × 499

### Equipment

Battery	36 V / 7.5 Ah Battery Power+ battery (1 pc.)	Battery	■
Battery charger	36 V Battery Power+ quick charger (1 pc.)	Battery charger	■
Suction hose	m	1.9	

■ Included in the scope of supply.

# NT 22/1 AP BP PACK L

## 1.528-120.0

**KÄRCHER**



		Order no.					Price	Description	
<b>Batteries</b>									
Battery Power+ 36/75	1	2.445-043.0						A capacity of 7.5 Ah guarantees long running times for the Battery Power+ 36 V lithium-ion battery. Very powerful, with Real Time Technology via LCD display and protection against overcurrent.	■
Battery Power+ 36/60	2	2.042-022.0						Extremely powerful Battery Power+ 36 V lithium-ion battery with a capacity of 6.0 Ah for a long runtime. With innovative Real Time Technology via LCD display and voltage monitoring.	□
<b>Battery chargers</b>									
Fast charger Battery Power+ 36/60	3	2.445-045.0						Charge all 36 V Kärcher Battery Power and Kärcher Battery Power+ lithium-ion batteries with max. 6 A charging current. Quick charger with LED operating status indicator. Easy wall mounting.	■
<b>Starter Kit</b>									
Starter kit Battery Power+ 36/75	4	2.445-070.0						Starter Kit Battery Power+ 36/75 with 2 36-V/7.5-Ah batteries and 36-V quick charger for our 36 V Kärcher Battery Power and Kärcher Battery Power+ battery platform devices.	□
Starter kit Battery Power+ 36/60	5	2.445-071.0						Kärcher Battery Power+ 36/60 Starter Kit for all machines in the Kärcher 36 V Battery Power+ battery platform. Scope of delivery: 2x 36 V/6.0 Ah batteries and the compatible 36 V quick charger.	□

■ Included in the scope of supply. □ Available accessories.

# NT 22/1 AP BP PACK L

## 1.528-120.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Flat pleated filter, paper</b>									
Flat pleated filter, paper	1	6.904-156.0	1 piece(s)					For wet and dry vacuum cleaners NT 14/1 and NT 22/1 Ap Bp: flat pleated filter Dry made from cellulose fibre material for vacuuming fine dust and coarse dirt from dust classes L and M. With green label.	■
<b>Bend, plastic</b>									
Elbow, standard	2	2.889-199.0	1 piece(s)	DN 35				Plastic elbow, grey, with C-35 clip system.	■
<b>Floor nozzles</b>									
Wet/Dry floor nozzle standard	3	2.889-263.0	1 piece(s)	DN 35		300 mm		Wet/Dry floor nozzle, NW 35, 300 millimetre wide, grey. Incl. brush strips and squeegees. Easy-to-change inserts.	■
<b>Crevice nozzles</b>									
Crevice nozzle NT Tact DN 35	4	2.889-159.0	1 piece(s)	DN 35	225 mm			Crevice nozzle ID 35, for new Tact range.	■
<b>Suction tubes, plastic</b>									
Suction tube set	5	2.889-218.0	1 piece(s)	DN 35	505 mm			Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	■
<b>Other</b>									
Adapter clip new on clip old DN 35	6	2.889-312.0						Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	□
<b>Flat pleated filter, PES</b>									
Flat pleated filter, PES	7	6.906-123.0	1 piece(s)					Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Optional main filter for NT 14/1 and NT 351 Eco/Professional.	□
<b>Fleece filter bags (three-ply)</b>									
Fleece filter bags	8	6.907-469.0	5 piece(s)					Fleece filter bag, tear-resistant, dust class M.	□
<b>Car cleaning nozzles</b>									
Car nozzle	9	6.906-108.0	1 piece(s)	DN 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
<b>Suction tubes, stainless steel</b>									
Suction tube set	10	2.889-175.0	1 piece(s)	DN 35	505 mm			Stainless steel suction tube set, NW 35, 2-part, each 0.55 millimetres.	□
<b>Suction tubes, metal</b>									
Suction tube, chrome-plated	11	6.902-074.0	1 piece(s)	DN 35	505 mm			Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	□
<b>Complete suction hoses (clip system)</b>									
Suction hose	12	2.889-134.0	1 piece(s)	DN 35	2.5 m			2.5 m suction hose with new bayonet and clip fastener.	□
<b>Connection adapter C ID (clip to cone), electrically conductive</b>									
Adapter clip DN 35 on cone DN 35	13	5.407-005.0						Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	□
Adapter clip DN 40 on cone DN 35	14	5.407-006.0						For connection of small nozzles and suction tubes to cone DN 35: adapter clip system DN 40. Perfect for applications in vehicle interior cleaning, even without the connection of other nozzles.	□

■ Included in the scope of supply. □ Available accessories.