



TLA 4 telescopic spray lance

Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.







- 1 Adjustable hinge
- Flexible application possibilities.

- 3 Simple assembly of high-pressure gun
- The existing high-pressure gun can be easily secured at the intended holder.

2 Comfortable telescoping

■ The tubes can be easily and conveniently pulled out at the touch of a button.

TECHNICAL DATA AND EQUIPMENT





TLA 4 telescopic spray lance

| Technical data | | |
|------------------------|----|------------------|
| Order no. | | 2.644-190.0 |
| EAN code | | 4054278684086 |
| Weight | kg | 2.81 |
| Weight incl. packaging | kg | 3.73 |
| Dimensions (L × W × H) | mm | 3780 × 120 × 233 |

TLA 4 TELESCOPIC SPRAY LANCE 2.644-190.0





| | | Order no. | | | Price | Description | |
|---|---|-------------|--|--|-------|---|--|
| Spray lances | | | | | | | |
| Façade & glass cleaning attach- ment | 1 | 2.644-191.0 | | | | Façades and glass surfaces are optimally cleaned at high pressure with the façade and glass cleaning attachment. Particularly efficient in combination with the Kärcher telescopic spray lance. | |

[☐] Available accessories.