





## MT CS 250/36

Interchangeable attachment for our MT 36 Bp battery powered multi tool: The MT CS 250/36 pole-mounted pruners with a compact design for safe, precise tree care, including hard-to-reach places from the ground.



### 1 Automatic chain lubrication

- Minimal maintenance effort and long lifetime.
- Low heat generation and high efficiency.



### 2 Oregon® saw chain and guide rail

- The best components for the best results.



### 3 Compact design

- Lightweight for easy handling.
- Compact and easy to transport and store.



### 4 Significantly lower vibration compared to petrol-powered machines

- Effortless work over long periods.
- Protects the user's health.



## MT CS 250/36

- Automatic chain lubrication
- Electric chain brake
- Compact, lightweight design

### Technical data

<b>Order no.</b>	1.042-512.0	
<b>EAN code</b>	4054278635972	
<b>Battery platform</b>	36 V battery platform	
<b>Guide rail</b>	mm	250
<b>Chain speed</b>	m/s	12
<b>Chain gauge</b>	1.3 mm / 0.050"	
<b>Voltage</b>	V	36
<b>Performance per battery charge</b>	cuts	max. 400 (6.0 Ah) / max. 500 (7.5 Ah)
<b>Runtime per battery charging</b>	min.	max. 45 (6.0 Ah) / max. 55 (7.5 Ah)
<b>Weight without accessories</b>	kg	1,9
<b>Weight incl. packaging</b>	kg	3
<b>Dimensions (L × W × H)</b>	mm	940 × 120 × 130

### Equipment

<b>chain protection</b>	■
<b>Guide rail</b>	■
<b>Saw chain</b>	■

■ Included in delivery.

# MT CS 250/36

## 1.042-512.0



		Order no.					Price	Description	
<b>Machine accessories</b>									
Saw chain "Oregon" 25cm	1	2.042-020.0							<input checked="" type="checkbox"/>
Guide rail Chainsaw 25cm	2	2.042-021.0							<input checked="" type="checkbox"/>
Oil Chainsaw Planto Tac 68	3	6.990-531.0						Biodegradable saw chain oil reduces the wear of hinges and links on the saw chain of the battery powered chainsaw. Can be used at ambient temperatures of -30 °C.	<input type="checkbox"/>
MT EXT 100	4	2.042-031.0							<input type="checkbox"/>

Included in delivery.
  Available accessories.