KÄRCHER

FP 303

The FP 303 floor polisher from Kärcher is lightweight, easy to transport and ideal for polishing all hard floor surfaces. Buff and polish your way to streak-free results with the FP 303.



Order no.

1.056-851.0

- Perfect polishing result thanks to high pad rotation
- Ergonomic construction and optimized shape
- Accessory storage on the device

Technical data 4054278975948 EAN code Rotational speed 1000 rpm w 600 Rated input power Working width mm 290 Filter bag capacity I 4 V/Hz 220 - 240 / 50 - 60 Current type Weight without accessories kg 7 Weight incl. packaging kg 8.6 Dimensions (L × W × H) 385 × 339 × 1162 mm

Polishing pads	Piece(s)	3
Filter bag		Paper
Cable rewind		
Textile bag incl. accessory compartment		•

KARCHER





Ergonomic handle

• For convenient and effortless cleaning.



Cord storage directly on the handle

• For easy and tidy storage of the cord on both cord hooks.



High-quality textile bag, includes separate accessory compartment

• For space-saving storage of the polishing pads provided.

KARCHER

EQUIPMENT FOR FP 303 1.056-851.0





1

8



3









		Order no.	Description	
VACUUM POLISHERS				
Polishing pads				
Polishing pads (universal)	1	2.863-193.0	3 polishing pads for FP 303 vacuum floor polisher. Ideal for polishing hard surfaces such as parquet, stone, linoleum, cork, PVC and laminate floors.	
Waxed parquet polishing pads	2	2.863-196.0	3 polishing pads for FP 303 vacuum floor polisher. Ideal for polishing waxed hard surfaces, e.g. waxed parquet floors.	
Sealed parquet/laminate polishing pads	3	2.863-197.0	3 polishing pads for FP 303 vacuum floor polisher. Ideal for polishing sealed hard surfaces such a sealed parquet, cork and laminate.	
Stone/Linoleum/PVC polishing pads	4	2.863-198.0	3 polishing pads for FP 303 vacuum floor polisher. Ideal for polishing matt stone, PVC or linoleum floors.	
Filter				-
Paper filter bags	5	6.904-128.0	3 replacement paper filter bags for FP 303 vacuum floor polisher.	
BASIC CLEANERS				
Stone, linoleum, PVC				
General purpose cleaner for stone/linoleum/PVC	6	6.295-775.0	The Kärcher general cleaning agent for stone, linoleum and PVC allows you to throughly remove old protective layers and stubborn dirt from stone, linoleum and PVC. For the best results when using this general purpose cleaner, use together with Kärcher care products. This product can also be used for normal cleaning of sealed parquet and cork, however, it is not suitable for unsealed wooden surfaces.	10
FLOOR CARE				
Waxed parquet				
Waxed parquet Floor care waxed parquet/parquet with oil-wax finish	7	6.295-778.0	The Kärcher floor care detergent for waxed parquet and parquet with an oil or wax finish is the optimal choice for the care and protection for your waxed wooden or wooden floors with an oil finish. With this floor care product, traces are removed, the protective film is renewed and the floor is left with a silky shine. Leave your treated floors to dry for 24 hours, do not apply water, move furniture or walk on the floor wearing shoes. Store your floor care detergent in a frost-free place.	0
Floor care waxed parquet/parquet with	7	6.295-778.0	optimal choice for the care and protection for your waxed wooden or wooden floors with an oil finish. With this floor care product, traces are removed, the protective film is renewed and the floor is left with a silky shine. Leave your treated floors to dry for 24 hours, do not apply water, move furniture or walk on the floor wearing shoes. Store your floor care detergent in a frost-free	0
Floor care waxed parquet/parquet with oil-wax finish		6.295-778.0	optimal choice for the care and protection for your waxed wooden or wooden floors with an oil finish. With this floor care product, traces are removed, the protective film is renewed and the floor is left with a silky shine. Leave your treated floors to dry for 24 hours, do not apply water, move furniture or walk on the floor wearing shoes. Store your floor care detergent in a frost-free	C
Floor care waxed parquet/parquet with oil-wax finish Varnished parquet, laminate Floor Care for sealed parquet / laminate / cork			optimal choice for the care and protection for your waxed wooden or wooden floors with an oil finish. With this floor care product, traces are removed, the protective film is renewed and the floor is left with a silky shine. Leave your treated floors to dry for 24 hours, do not apply water, move furniture or walk on the floor wearing shoes. Store your floor care detergent in a frost-free place.	C