KARCHER

KÄRCHER CENTER TRAFALGAR

PRODUCT SPECIFICATION/INFORMATION



KÄRCHER CENTER TRAFALGAR

01403 273 444 | sales@tce.org.uk www.trafalgarcleaningequipment.co.uk

COLD WATER PRESSURE WASHER

HD 5/12 C Plus | HD 5/12 CX Plus - 1.520-132.0 | 1.520-133.0

Light, compact, mobile and versatile. For vertical and horizontal operation. With clever accessory storage and long service life thanks to the brass cylinder head and automatic pressure relief.



Ø Use/day

Technical Specification

Cold Water High-Pressure Cleaner	HD 5/12 C CX Plus
Operating pressure (bar):	120
Flow rate (I/h):	500
Connected load (kW):	2.5
Weight (kg):	23.7 / 26



Mobility

- The integrated carrying handle on the front of the machine enables easy loading and convenient transport.
- Push handle can be retracted at the push of a button.
- Compact package.



Flexibility

- Vertical and horizontal operation possible.
- The wheels are not on in horizontal operation. In this way, the machine offers maximum stability.
- Separate parking and transport position for the spray unit.



Accessory storage

- Screw connection (M 18 x 1.5) for storing a surface cleaner directly on the machine.
- Practical storage for triple nozzle and rotary nozzle.
- Rubber strap for securing the HP hose.





Quality

- The automatic pressure relief protects the components and extends the service life.
- High-quality brass cylinder head.Large, easily accessible water fine
- filter for protecting the pump against dirt particles in water.

KARCHER

makes a difference

PRESSURE WASHER ACCESSORIES

Maximising the potential of your Kärcher machine



High-Pressure Hoses High quality hoses with quick-change couplings for extending existing hoses or for specialist applications Available in standard, food safe or long life materials and 10m, 15m or 20m lengths



Easy Press Trigger Guns Comfortable grips and triggers reduce hand fatigue. Servo control instantly regulates pressure and flow to suit different applications.



Spray Lances High quality stainless steel

with tool-free unions. Pivoting versions can be turned through 360° perfect for cleaning intricate or hard to reach areas like wheels and wheel arches Five lengths available, from 600 to 2050mm

Underbody Lances Designed to make cleaning

chassis areas quick and easy. Featuring a floor wheel to minimise operator effort. Angled lance also ideal for cleaning gutters and roofs.



Power Nozzles

Three different fan angles

available: 15° for stubborn dirt, 25° for stubborn dirt

over a larger area and 40° for lighter dirt over a large area. Or use the infinitely

convenience and versatility

adjustable 0°-90° Angle vario nozzle for greater

Steam Nozzle (hot only)

Designed for fast thawing

Rotating Wash Brush Water-driven rotating brush head with nylon or natural fibre bristles for gently removing fine dust and traffic film from vehicles and rendered surfaces.



Kärcher's cleaning agents optimise cleaning results whilst reducing cleaning time. They can lower energy consumption and reduce drain water pollution whilst improving safety and hygiene



Triple Nozzles

Three fan angles in one convenient nozzle: high-pressure fan and pencil jets, and low pressure fan jet. Innovative touchless version also available - just a flick of the wrist to switch between fan and pencil jets without even moving your hand position.



Foam spray lance for convenient low pressure

foam and high pressure detergent application with optional high pressure injector with valve for accurate and economic detergent metering. Ideal for disinfection tasks



Drum, Barrel and Tank Cleaning

Dirtblaster Nozzles

Innovative rotating pencil jet provides 10 x the cleaning

power of a standard nozzle. Featuring ceramic nozzle and bearing ring for long

life. For heavy duty cleaning tasks only.

Electric motor-driven cleaning head specifically designed for fast, effective cleaning inside drums, barrels and tanks. Connects directly to HD or HDS machine and available in stainless steel or brass



Hose Reels Safe and convenient storage

iSolar

for up to 40m of high-pressure hose. Can be wall or machine mounted.

Extension length of up to

14 m. are made from full

carbon or carbon/glass fibre composite and offer

minimal weight. Quick-release fasteners allow the

length to be easily adjusted

maximum rigidity with

while in use.



Couplings & Adaptors

A wide range available, from



Floor and Hard Surface Cleaners

10 x greater area coverage than using a standard lance and nozzle, perfectly even coverage and no splashing. They come in 30 & 50cm diameter with plastic or metal cover. The FRV's even remove excess water leaving floors much drier.

Pipe and Drain Cleaning

Wet Blasting Attachment

material such as sand to the high-pressure jet. Ideal

for graffiti, rust or paint removal. Fits to spray lance in place of high-pressure

nozzle, and available with or without abrasive flow

control.

For adding abrasive



pipe cleaning. No need for harmful chemicals, rods or feeding. Innovative nozzle



and de-icing in construction for degreasing of engine bays, and for dewaxing of bodywork. Protective simply pulls flexible 20 or 30 metre high pressure hose rubber casing also available. through pipe work.





HD 6/13 C Plus



HD 7/11-4 M Plus



You might also consider

Wet & Drv Vacuum Cleaner



Steam Generating Vacuum Cleaner



Scrubber Drier



Walk-Behind Vacuum Sweeper

Tel: + 44 (0)1403 273 444

Unit C, Foundry Close Horsham, West Sussex. RH13 5TX. United Kinadom



Unit C Foundry Close Horsham West Sussex RH13 5TX United Kingdom

- **T.** 01403 273444
- E. sales@tce.org.uk
- W. trafalgarequipment.co.uk



KÄRCHER CENTER TRAFALGAR