

KÄRCHER



KÄRCHER CENTER
TRAFALGAR

PRODUCT SPECIFICATION/INFORMATION

Product Data Sheet

KM 150/500 R D / Bp / LPG


The new benchmark for industrial sweeping.

Kärcher's new fully hydraulic KM industrial sweeper range can be perfectly tailored to meet the needs of your business. Choose 3 or 4 wheels; battery, LPG or diesel power; indoor or outdoor cabs; sweeping widths from 130 to 170cm; and hopper capacities from 300 to 600 litres. Fantastic build quality, incredible productivity and fully hydraulic controls all come as standard. The choice of three power options make it very versatile for use in different areas from public road to cleaning of noise sensitive areas indoors.

Features and Benefits:

- Economic and fast cleaning thanks to high sweeping performance
- Safe driving due to robust steel frame and 3 or 4 wheel chassis
- Long working cycles due to large fuel tank and large 500l hopper
- Flat filter with 12 m² filter area and automatic cleaning
- Safe and convenient hydraulic high dump
- Intuitive handling with EASY
- Operating System
- Flexible Footprint System of the main brush combines the advantages of fixed and floating main brush
- Multiple choice of power options with huge variety of accessories to suit different environments
- Easy access to important components for service and maintenance





Accessories

Optional accessories



Main brush
Soft mixed bristles
Soft bristles
Hard mixed bristles

Side brush dust
control cover
6.906-041



Left side brush
2.851-274.7

3rd side brush
2.851-277.7



Comfort cabin
2.851-264.7
Comfort cabin with heating
2.851-265.7
Comfort cabin with A/C
2.851-266.7

Technical Specification

	KM 150/500 R Bp	KM 150/500 R D / 4W	KM 150/500 R Lpg
Drive	Direct current motor	4-stroke Diesel engine / Yanmar	4-stroke LPG engine / Kubota
Performance	48 V / 10 kW	max. 21.6 kW (18.6 kW homologated)	Max. 23.1 kW
Sweeping performance	12000 m²/h	21000 m²/h	21000 m²/h
Working width / with 1 side brush mm	1200 / 1500	1200 / 1500	1200 / 1500
Hill climbing ability %	16	18 (homologated)	18 (homologated)
Working speed km/h	8	14	14
Filter surface m²	12	12	12
Weight kg	1380 (without)	1440 kg / 1472	1415
Dimensions (L x W x H) mm	2442 x 1550 x 1640	2442 x 1570 x 1640	2040 x 1570 x 1640
Part number	1.186-125	1.186-124 / -126	1.186-123



Unit C, Foundry Close
Horsham
West Sussex
RH13 5TX
United Kingdom
0845 611 8012
www.trafalgarcleaningequipment.co.uk

Unit C
Foundry Close
Horsham
West Sussex
RH13 5TX
United Kingdom

T. 01403 273444

E. sales@tce.org.uk

W. trafalgarequipment.co.uk

KÄRCHER

KÄRCHER CENTER
TRAFALGAR