KARCHER

KÄRCHER CENTER TRAFALGAR

Specification Sheet



NT 65/2 Eco (240/110V), NT 65/2 Eco TC and NT 65/2 Eco Me

A powerful range of All Purpose Vacuums with twin suction motors for heavy duty use.

These powerful all purpose vacuum cleaners are fitted with twin suction motors to meet more demanding needs. Ideal for the building trade, agriculture and automotive industries. Features of these units include the automatic shut down system for when maximum capacity is reached, a drainage hose for emptying liquids and Kärcher's power filter clean system which clears or unblocks the filter giving constant high suction power. The Eco filter system enables trouble free pickup without having to change filters, and the top mounted filter system enables full use of the 65 litre container capacity.

- Two electrodes automatically shut off both suction motors when the maximum fluid level is reached preventing damage.
- The tilting chassis (TC) makes it easier to empty fluids from the container.
- Hinged filter cover for easy access and changing of flat filter.
- Patented Eco filter system and power filter clean guarantees continuous high suction power at all times.
- On-board accessory holders and large recessed tray for tools.
- Kärcher clip system ensures simple and quick accessory changes.
- Oil resistant drain hose allows easy discharge of fluids.
- The two large rear wheels and front castors ensure the machine is highly stable both in operation and when being transported between tasks.
- High grade stainless steel container. (Me version only)





Unit C, Foundry Close Horsham West Sussex RH13 5TX United Kingdom 0845 611 8012



Technical data		NT 65/2 Eco (240/110v)	NT 65/2 Eco TC	NT 65/2 Eco Me
Power supply	(~/V/Hz)	1/240/50 / 1/110/50	1/240/50	1/240/50
Max. power rating	(VV)	2750	2750	2750
Air flow rate	(l/s)	2 x 56	2 x 56	2 x 56
Vacuum pressure	(mbar/KPa)	235/23.5	235/23.5	235/23.5
Container capacity	(l)	65	65	65
Standard inside dia.	(mm)	40	40	40
Power cable	(m)	10	10	10
Suction hose length	(m)	4	4	4
Operating noise	(dB/A)	74	74	74
Weight	(kg)	19	24	26
Dimensions (L x W x H) (mm)	600 x 480 x 920	690 x 520 x 1000	740 x 560 x 890
Order No.	10.00	1.325-141 / 1.325-105	1.997-141	1.325-151

Target Markets

Automotive

- Metal working industry Contract cleaners

- Crafts - Agriculture

- Leisure industry Building Trade

Standard Accessories

(4.440-679)4m Suction hose with bend

(6.900-275)2 x 0.5m Metal suction tubes

Paper filter bag (Not Me version)

• 360mm All purpose floor tool (6.903-018)

(6.903-033)Crevice tool

Optional Accessories

(6.904 - 364)HEPA filter

 Gangway tool (4.130-400)

 Car cleaning tool (6.900-952)

 Pipe dusting tool (200mm) (6.903-036)

Rubber suction tool

(Oil resistant 45° nozzle ID 40) (6.902-105)







Unit C Foundry Close Horsham West Sussex RH13 5TX United Kingdom

T. 01403 273444

E. sales@tce.org.uk

W. trafalgarequipment.co.uk

