KARCHER

KÄRCHER CENTER TRAFALGAR





Product Data Sheet

NT 70/2 & 70/3

High capacity, high value All-Purpose Vacuum Cleaners

The NT 70/2 and NT 70/3 are tough, high capacity vacuum cleaners designed for demanding professional use. With 70 litre container capacity, tough construction and high manoeuvrability, the NT 70 range is equally suited to use in workshops, manufacturing, and vehicle valeting. The machine's independently-switched motors ensure high suction power when required, and economy and reduced noise when only one motor is needed.

Features and Benefits:

- · Superb value for a high capacity machine
- Choice of 2 or 3 independently-switched motors for superb versatility, economy and suction power
- Integrated accessory storage on the back of the machine
- Integrated hooks ensure convenient storage of the power cord
- Drain hose for easy container emptying
- Sturdy chassis with large wheels and castors for high mobility
- Large cartridge filter with mechanical shut-off device to prevent overfilling



Unit C, Foundry Close Horsham West Sussex RH13 5TX United Kingdom 0845 611 8012 www.trafalgarcleaningequipment.co.uk










Range Comparison

Kärcher All-Purpose Vacuum Cleaner



Accessories

Standard Accessories



4 m suction hose with bend, DN 40 4.440-678



suction tubes 6.900-275



Floor tool 360 mm working width 6.906-554



Crevice nozzle

6.903-033



Cartridge filter

6.907-038

Optional Accessories



Metal scraping nozzle

6.903-360



Suction tube s/steel, 1m DN 40 6.906-531



Suction tube s/steel, 0.5 m DN 40 - 6.902-081



Cloth filter

6.904-282



Paper filter bags (5 pack) 6.904-285



Rubber nose 45° oil resistant 6.902-105

Extension Hoses

10 m, DN 40, standard

With bayonet- and clip-

With bayonet- and clipconnection, DN 40, 10 m connection, DN 40, 16 m

4.440-463

6.906-279

6.906-635

Oil resistant and 61mm diameter hoses and attachments also available

Technical Specification

	NT 70/2	NT 70/3
Max. power rating (W)	2400	3600
Air flow rate (I/s)	104	156
Vacuum (KPa)	22.5	22.5
Container capacity (I)	70	70
Cord length (m)	10	10
Noise level (dB(A))	77	78
Weight (kg)	26	29
Part number	1.667-204	1.667-205



Unit C, Foundry Close Horsham West Sussex RH13 5TX United Kingdom 0845 611 8012 www.trafalgarcleaningequipment.co.uk Unit C Foundry Close Horsham West Sussex RH13 5TX United Kingdom

T. 01403 273444

E. sales@tce.org.uk

W. trafalgarequipment.co.uk

